

Reifen Tyre Pneu	ALPIN "V"			ALPIN "W"		
	Größe Size Réf.	ø mm	Artikel-Nr. Part No. N°article	Größe Size Réf.	ø mm	Artikel-Nr. Part No. N°article
13X4.00-	6	4003 V	3.7	36901	-	-
14X4.00-		4005 V	3.7	36903	-	-
3.50-		4002 V	3.7	36844	-	-
4.10/3.50-		4003 V	3.7	36901	-	-
16X8-	7	4006 V	3.7	36896	-	-
16X4.80-	8	36939	3.7	36939	-	-
16X6.50-		4013 V	3.7	36510	-	-
16X6.50- Carlisle XTrac		4013 V	3.7	36510	-	-
16X7.50-		4006 V	3.7	36896	-	-
165/60-		4013 V	3.7	36510	-	-
170/60-		4013 V	3.7	36510	-	-
18X6.50-		4007 V	3.7	36877	-	-
18X7.50-		4008 V	3.7	36841	-	-
18X8.50-		4009 V	4.5	36873	-	-
18X9.50-		4015 V	4.5	36876	-	-
19X7-		4009 V	4.5	36873	-	-
19X8-		4009 V	4.5	36873	-	-
20X10.00-		4017 V	4.5	36864	-	-
20X8.00-		4016 V	4.5	36853	-	-
4.00-		4012 V	3.7	36509	-	-
4.00- Duro		36939	3.7	36939	-	-
4.80-		4012 V	3.7	36509	-	-
4.80- Carlisle XTrac		36939	3.7	36939	-	-
4.80/4.00-		36939	3.7	36939	-	-
215/50-	9	4017 V	4.5	36864	-	-
18X8.50-	10	4009 V	4.5	36873	-	-
18X8.50- OTR		73328	4.5	73328	-	-
20.5X10.0-		4018 V	4.5	32508	-	-
20.5X8.00-		4024 V	4.5	36494	-	-
20.5X8.50-		4017 V	4.5	36864	-	-
20X10.00-		4018 V	4.5	32508	-	-
20X8.00-		4016 V	4.5	36853	-	-
21X8.00-		4017 V	4.5	36864	-	-
7.50-		122 V	4.5	36346	-	-
24X10.00-	11	122 V	4.5	36346	-	-
24X8.00-		118 V	4.5	36343	-	-
10.00-	12	-	-	-	129 W	45340
20X7.00-		4024 V	4.5	36494	-	-
20X7-		4016 V	4.5	36853	-	-
22X8.50-		36946	4.5	36946	-	-
225/55-		4033 V	5.5	36495	-	-
23X10.50-		4034 V	4.5	36511	-	-
23X10.50- Kubota		36868	4.5	36868	-	-
23X10.50- Kubota		4033 V	5.5	36495	-	-
23X8.50-		4033 V	5.5	36495	-	-
23X8.50- Kubota		36946	4.5	36946	-	-
23X9.50-		4020 V	5.5	36862	-	-
24X12.00-		14792	5.5	14792	-	-
24X8.50-		4032 V	4.5	36516	-	-
25X8.00-		4033 V	5.5	36495	-	-
26X12.00-		4035 V	5.5	36512	-	-
320/60-		4035 V	5.5	36512	-	-
6.0- Dunlop		4036 V	5.5	36507	-	-
6.00-		4036 V	5.5	36507	-	-
6.00- Bridgestone LUG-M		4037 V	5.5	44289	-	-
6-		4036 V	5.5	36507	-	-
7.00-		3002 V	5.5	36477	-	-
175/75-	13	116 V	4.5	36342	-	-
165-	14	116 V	4.5	36342	-	-
165/80-		116 V	4.5	36342	-	-
175-		118 V	4.5	36343	118 W	4.5 36524
175/70-		116 V	4.5	36342	-	-
175/80-		118 V	4.5	36343	118 W	4.5 36524
185/65-		116 V	4.5	36342	-	-
185/70-		118 V	4.5	36343	118 W	4.5 36524
185/75-		118 V	4.5	36343	118 W	4.5 36524
185/80-		119 V	4.5	36344	119 W	5.5 45334
195/70-		119 V	4.5	36344	119 W	5.5 45334
195/75-		119 V	4.5	36344	119 W	5.5 45334
195/80-		122 V	4.5	36346	122 W	5.5 45335
205/70-		122 V	4.5	36346	122 W	5.5 45335
205/75-		122 V	4.5	36346	122 W	5.5 45335
205/80-		124 V	4.5	36348	124 W	5.5 45336
215/70-		124 V	4.5	36348	124 W	5.5 45336
215/75-		124 V	4.5	36348	124 W	5.5 45336
215/80-		125 V	4.5	36349	125 W	5.5 45337
225/70-		125 V	4.5	36349	125 W	5.5 45337
24X8.00-		4033 V	5.5	36495	-	-
24X8.50-		4032 V	4.5	36516	-	-
25X8.50-		122 V	4.5	36346	-	-
27X8.50-		124 V	4.5	36348	124 W	5.5 45336
6.70-		122 V	4.5	36346	122 W	5.5 45335
7.00-		119 V	4.5	36344	119 W	5.5 45334
7.50-		122 V	4.5	36346	122 W	5.5 45335
10.00-	15	141 V	5.5	36358	141 W	7.0 45344
10-		129 V	5.5	36353	-	-
165-		118 V	4.5	36343	118 W	4.5 36524
165/65-		116 V	4.5	36342	-	-
175-		119 V	4.5	36344	119 W	5.5 45334
175/70-		118 V	4.5	36343	118 W	4.5 36524
185/70-		119 V	4.5	36344	119 W	5.5 45334
185/80-		122 V	4.5	36346	122 W	5.5 45335
195/65-		122 V	4.5	36346	122 W	5.5 45335

Reifen Tyre Pneu	ALPIN "V"			ALPIN "W"			
	Größe Size Réf.	ø mm	Artikel-Nr. Part No. N°article	Größe Size Réf.	ø mm	Artikel-Nr. Part No. N°article	
235/70-	16	1126 V	4.5	36366	1126 W	5.5	45351
235/75-		127 V	5.5	36351	-	-	-
235/80-		129 V	5.5	36353	-	-	-
235/85-		131 V	5.5	36354	131 W	7.0	45341
245-		131 V	5.5	36354	131 W	7.0	45341
245/55-		128 V	4.5	45615	-	-	-
245/70-		127 V	5.5	36351	-	-	-
245/75-		129 V	5.5	36353	-	-	-
250/80-		131 V	5.5	36354	131 W	7.0	45341
255/50-		128 V	4.5	45615	-	-	-
255/65-		127 V	5.5	36351	127 W	7.0	45339
255/70-		129 V	5.5	36353	-	-	-
255/85-		132 V	5.5	36355	-	-	-
265/70-		129 V	5.5	36353	-	-	-
265/75-		131 V	5.5	36354	-	-	-
275/65-		129 V	5.5	36353	-	-	-
275/70-		131 V	5.5	36354	-	-	-
275/75-		132 V	5.5	36355	-	-	-
285/75-		136 V	5.5	36356	136 W	7.0	45342
295/75-		140 V	5.5	36357	140 W	7.0	45343
33X12.50-		136 V	5.5	36356	-	-	-
35X12.50-		141 V	5.5	36358	141 W	7.0	45344
6.00-		-	-	-	124 W	5.5	45336
6.00- LKW/Truck/Camion		124 V	4.5	36348	-	-	-
6.00- Traktor/Tractor/Tracteur		301 V	5.5	36442	-	-	-
6.40-		124 V	4.5	36348	124 W	5.5	45336
6.50-		-	-	-	126 W	5.5	45338
6.50- LKW/Truck/Camion		126 V	4.5	36350	-	-	-
6.50- Traktor/Tractor/Tracteur		302 V	5.5	36443	-	-	-
7.00-		127 V	5.5	36351	127 W	7.0	45339
7-		301 V	5.5	36442	-	-	-
8.25-		132 V	5.5	36355	132 W	7.0	45616
9.00-		140 V	5.5	36357	140 W	7.0	45343
9.5-		131 V	5.5	36354	-	-	-
10-	16.5	129 V	5.5	36353	129 W	7.0	45340
33X12.50-		136 V	5.5	36356	136 W	7.0	45342
35X12.50-		141 V	5.5	36358	141 W	7.0	45344
37X12.50-		1410 V	7.0	36367	1410 W	8.2	45352
8.00-		126 V	4.5	36350	126 W	5.5	45338
8.75-		1126 V	4.5	36366	1126 W	5.5	45351
15.0/55-	17	3008 V	5.5	36488	-	-	-
15.5/55-		3008 V	5.5	36488	-	-	-
195/70-		125 V	4.5	36349	125 W	5.5	45337
205/75-		126 V	4.5	36350	-	-	-
215/60-		125 V	4.5	36349	125 W	5.5	45337
215/75-		1126 V	4.5	36366	1126 W	5.5	45351
225/65-		126 V	4.5	36350	126 W	5.5	45338
225/70-		-	-	-	1126 W	5.5	45351
235/55-		128 V	4.5	45615	-	-	-
235/60-		126 V	4.5	36350	-	-	-
235/65-		1126 V	4.5	36366	-	-	-
235/75-		131 V	5.5	36354	131 W	7.0	45341
245/50-		128 V	4.5	45615	-	-	-
245/65-		127 V	5.5	36351	-	-	-
255/60-		127 V	5.5	36351	-	-	-
255/65-		129 V	5.5	36353	129 W	7.0	45340
255/75-		131 V	5.5	36354	-	-	-
265/65-		131 V	5.5	36354	-	-	-
265/70-		131 V	5.5	36354	-	-	-
275/65-		131 V	5.5	36354	-	-	-
285/60-		131 V	5.5	36354	-	-	-
6.50-		126 V	4.5	36350	126 W	5.5	45338
10-	17.5	132 V	5.5	36355	132 W	7.0	45616
205/65-		125 V	4.5	36349	125 W	5.5	45337
205/70-		126 V	4.5	36350	126 W	5.5	45338
205/75-		1126 V	4.5	36366	1126 W	5.5	45351
215/70-		1126 V	4.5	36366	1126 W	5.5	45351
215/75-		127 V	5.5	36351	127 W	7.0	45339
225/75-		129 V	5.5	36353	129 W	7.0	45340
235/70-		129 V	5.5	36353	129 W	7.0	45340
235/75-		131 V	5.5	36354	131 W	7.0	45341
245/70-		131 V	5.5	36354	131 W	7.0	45341
245/75-		132 V	5.5	36355	132 W	7.0	45616
245/75- Continental LDR		131 V	5.5	36354	131 W	7.0	45341
255/75-		132 V	5.5	36355	132 W	7.0	45616
265/70-		132 V	5.5	36355	132 W	7.0	45616
265/75-		132 V	5.5	36355	132 W	7.0	45616
285/75-		140 V	5.5	36357	140 W	7.0	45343
7-		126 V	4.5	36350	126 W	5.5	45338
8.5-		129 V	5.5	36353	129 W	7.0	45340
8-		127 V	5.5	36351	127 W	7.0	45339
9.5-		132 V	5.5	36355	132 W	7.0	45616
13.0/65-	18	1410 V	7.0	36367	-	-	-
235/50-		128 V	4.5	45615	-	-	-
235/60-		1126 V	4.5	36366	1126 W	5.5	45351
235/65-		127 V	5.5	36351	-	-	-
255/55-		127 V	5.5	36351	-	-	-
255/60-		129 V	5.5	36353	-	-	-
275/70-		136 V	5.5	36356	136 W	7.0	45342
280/70-		3006 V	7.0	36481	-	-	-
325/65-		1410 V	7.0	36367	-	-	-
355/60-		1410 V	7.0	36367	-	-	-
7.50-		132 V	5.5	36355	132 W	7.0	45616

Reifen Tyre Pneu	ALPIN "V"			ALPIN "V"			
	Größe Size Réf.	ø mm	Artikel-Nr. Part No. N°article	Größe Size Réf.	ø mm	Artikel-Nr. Part No. N°article	
225/50-	19	126 V	4.5	36350	-	-	
225/70-	19.5	131 V	5.5	36354	131 W	7.0	45341
245/70-		132 V	5.5	36355	132 W	7.0	45616
255/60-		131 V	5.5	36354	-	-	
255/70-		136 V	5.5	36356	136 W	7.0	45342
265/70-		136 V	5.5	36356	136 W	7.0	45342
275/70-		140 V	5.5	36357	140 W	7.0	45343
285/65-		-	-	-	140 W	7.0	45343
285/70-		141 V	5.5	36358	141 W	7.0	45344
305/70-		1410 V	7.0	36367	1410 W	8.2	45352
385/65-		144 V	7.0	36361	144 W	8.2	45347
425/55-		1443 V	7.0	45722	-	-	
435/50-		1443 V	7.0	45722	-	-	
435/55-		1443 V	7.0	45722	-	-	
445/45-		1441 V	7.0	36373	1441 W	7.0	36552
8-		131 V	5.5	36354	131 W	7.0	45341
9.5-		140 V	5.5	36357	140 W	7.0	45343
10.00-	20	143 V	7.0	36360	143 W	8.2	45346
11.00-		144 V	7.0	36361	144 W	8.2	45347
11.5-		144 V	7.0	36361	144 W	8.2	45347
12.00-		146 V	7.0	36363	146 W	8.2	45349
12.4-		311 V	7.0	36451	-	-	
12.5-		311 V	7.0	36451	-	-	
13/80-		144 V	7.0	36361	144 W	8.2	45347
14.5-		312 V	7.0	36452	312 W	8.2	43709
14/80-		146 V	7.0	36363	146 W	8.2	45349
255/50-		129 V	5.5	36353	-	-	
335/80-		144 V	7.0	36361	144 W	8.2	45347
365/80-		146 V	7.0	36363	146 W	8.2	45349
365/80- Continental MPT81, Michelin XZL		-	-	-	146 W	8.2	45349
6.50-		131 V	5.5	36354	-	-	
7.50-		140 V	5.5	36357	140 W	7.0	45343
8.25-		141 V	5.5	36358	141 W	7.0	45344
9.00-		142 V	7.0	36359	142 W	8.2	45345
9.5- Rosenreifen/turf tires/pneus gazon		141 V	5.5	36358	-	-	
10.00-	22	144 V	7.0	36361	144 W	8.2	45347
11.00-		146 V	7.0	36363	146 W	8.2	45349
9.5-		141 V	5.5	36358	-	-	
10-	22.5	142 V	7.0	36359	142 W	8.2	45345
11-		143 V	7.0	36360	143 W	8.2	45346
11- Michelin XT4		1430 V	7.0	36368	1430 W	8.2	45353
11/70-		142 V	7.0	36359	142 W	8.2	45345
12.5-		144 V	7.0	36361	144 W	8.2	45347
12-		144 V	7.0	36361	144 W	8.2	45347
12/80-		1430 V	7.0	36368	1430 W	8.2	45353
13-		146 V	7.0	36363	146 W	8.2	45349
15-		1460 V	7.0	93746	1460 W	8.2	93704
195/60-		127 V	5.5	36351	127 W	7.0	45339
235/80-		-	-	-	141 W	7.0	45344
255/70-		141 V	5.5	36358	141 W	7.0	45344
265/70-		141 V	5.5	36358	141 W	7.0	45344
275/65-		141 V	5.5	36358	141 W	7.0	45344
275/70-		142 V	7.0	36359	142 W	8.2	45345
275/80-		143 V	7.0	36360	143 W	8.2	45346
285/60-		1410 V	7.0	36367	1410 W	8.2	45352
285/65-		1410 V	7.0	36367	1410 W	8.2	45352
285/70-		142 V	7.0	36359	142 W	8.2	45345
285/75-		143 V	7.0	36360	143 W	8.2	45346
295/55-		141 V	5.5	36358	141 W	7.0	45344
295/60-		1410 V	7.0	36367	1410 W	8.2	45352
295/70-		142 V	7.0	36359	142 W	8.2	45345
295/75-		1430 V	7.0	36368	1430 W	8.2	45353
295/80-		1430 V	7.0	36368	1430 W	8.2	45353
295/80-*		1440 V	7.0	36369	-	-	
305/60-		142 V	7.0	36359	142 W	8.2	45345
305/70-		143 V	7.0	36360	143 W	8.2	45346
315/55-		1410 V	7.0	36367	1410 W	8.2	45352
315/60-		1421 V	7.0	91513	1421 W	8.2	93512
315/70-		1430 V	7.0	36368	1430 W	8.2	45353
315/75-		144 V	7.0	36361	144 W	8.2	45347
315/80-		145 V	7.0	36362	145 W	8.2	45348
315/85-		146 V	7.0	36363	146 W	8.2	45349
365/60-		144 V	7.0	36361	144 W	8.2	45347
385/55-		1443 V	7.0	45722	-	-	
385/60-		145 V	7.0	36362	145 W	8.2	45348
385/65-		1460 V	7.0	93746	1460 W	8.2	93704
435/45-		1441 V	7.0	36373	1441 W	7.0	36552
445/40-		1443 V	7.0	45722	-	-	
495/45-		1446 V	7.0	05346	-	-	
8-		140 V	5.5	36357	140 W	7.0	45343
9-		141 V	5.5	36358	141 W	7.0	45344
11-	24.5	144 V	7.0	36361	144 W	8.2	45347
12.5-		146 V	7.0	36363	146 W	8.2	45349
12-		146 V	7.0	36363	146 W	8.2	45349
275/80-		1430 V	7.0	36368	1430 W	8.2	45353
285/75-		1430 V	7.0	36368	1430 W	8.2	45353
285/80-		144 V	7.0	36361	144 W	8.2	45347

* mit hochsitzender Innenkette/with higher inside chain/avec chaîne intérieure rehaussée